

L A N D A®

illuminotecnica

luce italiana
CLASSIC COLLECTION

luce italiana
made in Italy

L A N D A[®]
illuminotecnica

l'azienda the company la société la empresa die Firma

La ditta Landa illuminotecnica ha sede a Lumezzane, Brescia, area dell'Italia del nord conosciuta per il suo spirito imprenditoriale che ha saputo distinguersi in diversi settori. Presente sul mercato dal 1987, si è affermata con la sua ampia gamma di lampade da esterno non solo sul mercato europeo ma a livello mondiale. L'intera produzione avviene all'interno della ditta, consentendo un costante monitoraggio di tutte le fasi produttive fino al momento della spedizione. Vanta inoltre un'equipe di progettazione che non solo riesce a soddisfare le esigenze presentate dalla clientela ma è anche attenta ad anticipare i nuovi bisogni ed i nuovi trend del gusto. Tutto ciò ha permesso una continua crescita in un mercato sempre più competitivo.



www.landa.it
www.landalighting.com

Le siège de la société Landa Illuminotecnica est situé à Lumezzane, près de Brescia, une zone de l'Italie du nord réputée pour son esprit d'entreprise et qui a su se distinguer dans différents secteurs d'activité. Depuis 1987 Landa s'est imposée avec une vaste gamme de luminaires pour extérieur, non seulement sur le marché européen mais également au niveau mondial. Toute la production est réalisée en interne, ce qui permet un contrôle constant de toutes les phases productives jusqu'au moment de l'expédition. Landa dispose d'une équipe de Recherche & Développement capable non seulement de satisfaire les exigences actuelles des clients, mais aussi d'anticiper les nouveaux besoins et l'évolution des goûts et des attentes. Tout ceci a permis une progression constante dans un marché toujours plus concurrentiel.




LANDA®

 Landa Illuminotecnica is situated in Lumezzane, Brescia, an area of northern Italy well known for the entrepreneurial spirit of its people , which has made this area very successful in many fields.

Landa was founded in 1987 and has made itself known on the outdoor lighting market, both in Europe and Worldwide, with a comprehensive range of products.

All production stages are carried out within the factory bound, so that every step, from production to delivery, can be carefully monitored. Landa's team seeks to fulfil customers' needs as well as trying to anticipate future market needs and trends.

This continuous effort has enabled us to achieve constant growth in an increasingly competitive market.



 La empresa Landa Illuminotecnica sita en Lumezzane, Brescia, Italia, conocida por su espíritu emprendedor y supo diferenciarse en varios sectores. Está presente en el mercado desde 1987, se ha consolidado con un extenso surtido de lámparas para exteriores, estamos presentes no solamente en Europa más bien en el mercado a nivel mundial. La totalidad de nuestras piezas están hechas directamente en nuestras instalaciones así controlamos cada paso de la producción desde el comienzo hasta el despacho. Tenemos un grupo de técnicos para proyectar nuestra producción que, no solamente llega a satisfacer las exigencias presentadas por nuestros clientes, también están atentos a anticipar los gustos, las tendencias y las nuevas necesidades del mercado. Todo esto nos ha permitido crecer en un mercado cada vez más competitivo.

 Landa Illuminotecnica hat seinen Sitz in Lumezzane Brescia im Norden Italiens, bekannt für seinen Unternehmungsgeist, was die Gegend in so vielen Bereichen erfolgreich macht. Die Firma Landa wurde 1987 gegründet und hat seitdem eine große Auswahl von Außenleuchten entwickelt, die jetzt auf der ganzen Welt bekannt sind. Jede Stufe der Produktion findet innerhalb der Firma statt, so kann die Ware von der Produktion bis zur Lieferung bestens kontrolliert werden. Unsere Firma beschäftigt ein Planungsteam, das den Ansprüchen der Kunden nachkommt und neue Bedürfnisse und Trends aufgreift. Das hat uns die Möglichkeit gegeben, ein stetiges Wachstum in einem immer wettbewerbsintensiveren Umfeld zu erreichen.



la produzione
the production
la production
la producción
die produktion

il gruppo the group le groupe el grupo die Gruppe

*P*assion and reliable competences

BUGATTI
ITALY



Bugatti progetta e realizza prodotti per la tavola e la cucina, posate e piccoli elettrodomestici con una forte carica innovativa e un design originale e sofisticato.

Bugatti designs and manufactures products for the table and kitchen, cutlery and small household appliances that are highly innovative and have an original and sophisticated design.

Bugatti conçoit et réalise des produits pour la table et la cuisine, des couverts et des petits appareils électroménagers ayant un caractère fortement novateur et un design original et sophistiqué.

Bugatti proyecta y realiza productos para la mesa y la cocina, cuberterías y pequeños electrodomésticos con un diseño innovador, original y sofisticado.

Bugatti entwickelt und produziert Produkte für den Tisch und die Küche, Besteckgarnituren und kleine Haushaltgeräte, die sich durch ihre innovativen Lösungen und das originale anspruchsvolle Design auszeichnen. erneut Auftrieb erhalten.



www.bugatti.it



Oggi Picchi costruisce macchine speciali ad elevata e sofisticata tecnologia, capaci di risolvere ogni tipo di problematica produttiva e soprattutto di soddisfare le esigenze della clientela.

Today Picchi makes special hi-tech and sophisticated machines, capable of resolving every type of production problem and above all to the satisfaction of its customers.

Aujourd'hui Picchi fabrique des machines spéciales avec une technologie élevée et sophistiquée, capable de résoudre tout type de problématique de production et surtout de satisfaire les exigences de la clientèle.

Hoy, Picchi construye máquinas especiales de alta y sofisticada tecnología, capaces de resolver todo tipo de problemas productivos y sobre todo de satisfacer las exigencias de la clientela.



Heute konstruiert PICCHI aufwändige Spezialanlagen auf dem neuesten Stand der Technik, mit denen PICCHI Lösungen für alle Arten von Herausforderungen im Bereich der industriellen Fertigung anbietet und vor allem die Anforderungen und Bedürfnisse der Kundschaft erfüllt.

LANDA®

Presente sul mercato dal 1987, si è affermata con la sua ampia gamma di lampade da esterno non solo sul mercato europeo ma a livello mondiale.

Landa was founded in 1987 and has made itself known on the outdoor lighting market, both in Europe and Worldwide, with a comprehensive range of products.

Depuis 1987 Landa s'est imposée avec une vaste gamme de luminaires pour extérieur, non seulement sur le marché européen mais également au niveau mondial.

Está presente en el mercado desde 1987, se ha consolidado con un extenso surtido de lámparas para exteriores, estamos presentes no solamente en Europa más bien en el mercado a nivel mundial.

Die Firma Landa wurde 1987 gegründet und hat seitdem eine große Auswahl von Außenleuchten entwickelt, die jetzt auf der ganzen Welt bekannt sind. Jede Stufe der Produktion findet innerhalb der Firma statt, so kann die Ware von der Produktion bis zur Lieferung bestens kontrolliert werden.



www.landa.it

BUGATTI® Group

Since 1923



www.aignep.com

AIGNEP

Cinque sono le divisioni di prodotto di Aignep: le connessioni, gli innesti automatici, l'automazione, la serie Fluidity per il controllo dei fluidi, la serie Infinity per la distribuzione dell'aria compressa.


Aignep has 5 division of products: fittings, quick couplings, automations, fluid control (Fluidity), air pipeline (Infinity).

Cinq divisions composent la gamme de produits Aignep : la connectique, les coupleurs automatiques, l'automatisation, la série Fluidity pour le contrôle des fluides, la série Infinity pour la distribution de l'air comprimé.

Cinco son las divisiones de producto de Aignep: las conexiones, los enchufes rápidos, la automatización, la serie Fluidity para el control de los fluidos y la serie Infinity para la distribución del aire comprimido.

Aignep hat 5 Produktbereiche: Verschraubungen, Schnellkupplungen, Automation, Elektroventile für Flüssigkeiten (Fluidity), Druckluftrohre (Infinity). Neben den Standardprodukten, entwickelt und produziert Aignep auch kundenspezifische Lösungen und steht als echter Partner hilfreich zur Seite, vom Design bis zum Endprodukt. Auftrieb erhalten.



	molphis p. 22-23		molphis p.16-17		molphis p.18-19		ibis 2 LED p.74-75		ibis 2 p.76-77
	oko p.78-79		neway p.84-85		polos 2 p.88-89		polos 2 p.88-89		polos 2 p.90-91
	orion INOX p.98-99		orion INOX p.100-101		urano INOX p.102-103		urano INOX p.102-103		lyras 80.1 p.72-73
	brick light p.70-71		parigi mini p.24-25						
	parigi p.26-29		lampara LED p.30-31		lampara p.32-33		amalfi p.40-45		sirio p.34-35
	venezia mini P.36-37		venezia p.38-39						
	firenze p.46-47		monaco p.48-49		romantica LED p.50-51		romantica p.52-53		augusta p.54-55
	nizza p.56-57		pisa p.58						
	oslo p.59		rio p.60-61		cervinia p.62-63		cipro p.64		maiorca p.65
	rio p.60-61		maiorca p.65						

INDEX

LANDA®
illuminotecnica



Installazione

installation
montage
instalación
Installation




Connessione consigliata

Connection recommended

Connexion recommandée

Conexión recomendada

Verbindung empfohlen



Connessione alternativa nastro autoaggomante

Alternatively self-amalgamating tape Connection

En variante l'auto-amalgamt connexion de bande

Alternativamente auto-amalgamando conexión de la cinta

Altesnativ Selbst amalgamieren Bandes

8

Le lampade a LED sono apparecchiature elettroniche e quindi sensibili alle sovratensioni, per questo motivo si consiglia l'installazione nell'impianto di un dispositivo di protezione adeguato (SPD) così da proteggere gli apparecchi dal rischio di danneggiamento.

In caso di rottura del vetro il prodotto non può essere utilizzato, contattare il fornitore per la sua sostituzione.

Se il cavo flessibile esterno di questo apparecchio viene danneggiato, deve essere sostituito dal costruttore al fine di evitare pericoli. Per il cablaggio dell'apparecchio si dovrà utilizzare un'idonea morsettiera omologata EN60998-2-1 o EN60998-2-2 installata in una scatola di cablaggio adeguata con grado di protezione IP68.

Il modulo LED contenuto in questo apparecchio di illuminazione deve essere sostituito esclusivamente dal costruttore, o da personale qualificato equivalente.

The LED lamps are electronic devices and hence sensitive to current surges. For this reason we recommend installing a suitable protective equipment (SPD) so as to protect the equipment from the potential damage.

Should the glass break, the product cannot be used and you should contact the manufacturer for its replacement.

If the external cable of this appliance is damaged, it must be replaced by the manufacturer in order to avoid dangers. For wiring the terminal you should use a suitable terminal approved to EN 60998-2-1 or EN 60998-2-2 installed in a wiring box with adequate degree of protection IP68.

The LED module contained in this luminaire it must be substituted exclusively of the manufactured, or personnel qualified equivalent.

Les lampes LED sont équipées électroniques et sont donc sensible aux surtensions. Puor cette raison nous recommande l'installation d'un dispositif de protection adéquat (SPD) pour protéger les appareils d'un riscque de dommage.

En cas d'endommage de l'écrande protection le produit ne peut pas être utilisé, contactez le fabricant pour le remplacement

Si le cordon d'alimentation externe de cet appareil est endommagé, celui-ci doit être remplacé par le fabricant afin d'éviter tout danger. Le câblage de l'appareil devra utiliser terminal approprié approuvé à la norme EN 60998-2-1 et EN 60998-2-2 installé dans une boîte de jonction appropriée avec protection IP68.

La source lumineuse contenue dans ce appareil it doit être substitué exclusivement du constructeur, ou de personnel qualifié équivalente.



 Las luminarias a LED son aparatos electrónicos y, por tanto, sensibles a las sobretensiones, por esta razón se recomienda la instalación de un equipo de protección adecuado (SPD), a fin de proteger el aparato de riesgo de ser dañado.

No utilizar el producto en caso de rota del vidrio y contactar el fabricante para la sustitución.

Si le cordon d'alimentation externe de cet appareil est endommagé, celui-ci doit être remplacé par le fabricant afin d'éviter tout danger. Le câblage de l'appareil devra utiliser terminal approprié approuvé à la norme EN 60998-2-1 et EN 60998-2-2 installé dans une boîte de jonction appropriée avec protection IP68.

El módulo LED contenida en esta luminaria sólo se sustituye exclusivamente del fabricante, o depersonal cualificado equivalente.

 Die LED-Lampen sind elektronische Géräte und damit empfindlich gegen Überspannung. Aus diesem Grund empfiehlt man den Einbau eines Überspannungsschutzes (STP) um die Gefahr einer Beschädigung zu vermeiden.


Falls das Glas kaputt sein sollte, kann das Produkt nicht verwendet werden. Kontaktieren Sie in dem Fall den Hersteller, um das Glas zu ersetzen.

Wenn das externe Netzkabel dieses Gerätes beschädigt ist, muss es vom Hersteller, um die Gefahr zu vermeiden. Die Geräteverdrahtung haben geeignete Terminal nach EN 60998-2-1 und EN zugelassen zu verwenden 60998-2-2 in einem geeigneten Anschlussdose mit Schutzart IP68 eingebaut.

Das LED-Modul in dieser Armatur enthalten ist, sollte durch den Hersteller oder durch qualifiziertes Personal qualifiziertem ersetzt werden.

news

sensor product



SPECIFICATIONS

Detection range: 160°

Power supply: 230-240 V

Power frequency: 50/60Hz

Reach: 1-8 m (Ø), adjustable

Time setting: 10 sec to 12 min

Light control: 2-2000 LUX

Diffuser: opal polycarbonate



prodotti

products

produits

productos

Produktlinien



luce e decoro

light and decoration
lumière et décoration
luz y adorno
Licht und Dekor



360 gradi di luce nuova

360 degrees of modern lighting
360 degrés de nouvelle lumière
360 grados de nueva luz
Rundumlicht 360°



meticolosa scelta dei materiali

top quality materials
choix méticuleux des matériaux
meticulosa escogida de los materiales
Materialien bester Qualität



diverse eletrificazioni

different electrifications
différentes alimentations
varias modalidades de electrificación
Verschiedene Elektrifizierungen

I prodotti Landa variano dal tradizionale al moderno e tecnico, tutti realizzati con materiali accuratamente selezionati e sottoposti ai più moderni trattamenti che ne garantiscono la più elevata resistenza agli agenti esterni.

Landa's products range from Traditional to Modern as well as Technical and are all manufactured with carefully selected materials and submitted to the most up to date treatments in order to guarantee the highest resistance to atmospheric agents.

Les produits LANDA varient du style traditionnel au moderne et technique. Tous les articles sont réalisés à partir de matériaux soigneusement sélectionnés et soumis aux traitements les plus modernes pour en assurer la résistance maximum aux agents atmosphériques.

Los productos Landa varian desde lo tradicional a lo moderno y tecnico. Todas nuestras piezas están hechas con materiales escogidos con esmero y tratados con los más modernos métodos de trabajo que garantizan la más elevada resistencia.

Landa bietet verschiedene Produktlinien, von traditionell über modern bis technisch. Landa verwendet nur Materialien, die sorgfältig geprüft werden und den modernsten Verarbeitungen entsprechen, um eine hohe Wetterbeständigkeit zu erreichen.





Country COLLECTION

Il principio è semplice: verniciare decorando

Film transfer prestampato con pigmenti organici fotosensibili e resine di cellulosa, avvolto interamente sul profilo. Il metodo di decorazione o stampa utilizzato è quello per sublimazione o stampa a caldo. La sublimazione è il passaggio fisico di una materia dallo stato solido a quello aeriforme senza passare dallo stato liquido. Processo produttivo non inquinante: il trasferimento è pulito e secco, senza residui di materiale colorante o residui chimici, acqua di rifiuto: il personale, i boschi, le montagne e i mari ringraziano.

Corpo: alluminio estruso

Test in nebbia salina: > 1500 ore

The principle is simple: coating decorating

Pre-printed film transfer with organic photo sensible pigments and cellulose resin, completely wrapped around the profile. The decoration or printing method used is the sublimation or heat printing. Sublimation is the physical process: a material changes from a solid condition into a gas condition without ever turning into a liquid condition. Production process is not polluting: the transfer is clean and dry, no colour material waste, no chemical waste, no water waste: personal, woods, mountains and seas are grateful.

Body: aluminium extruded

Test in saline mist: > 1500 hours

Le principe est simple: la peinture décorative

Un film pour transfert pré-imprimé avec des pigments organiques photosensibles et une résine de cellulose enveloppent entièrement le profil. La méthode de décoration ou d'impression utilisée est celle de la sublimation ou impression à chaud. La sublimation est le passage physique d'une matière de l'état solide à l'état gazeux sans passer par l'état liquide. C'est un procédé de production non polluant: le transfert est précis et sec, sans résidu de matériaux colorants ou chimiques, sans gaspillage d'eau: les personnes, les forêts, les montagnes et les océans apprécient.

Corps: aluminium extrudé

Test dans le brouillard salin: > 1500 heures

El principio es sencillo: pintar decorando

La película plástica ya estampada con pigmentos orgánicos fotosensibles y resinas de celulosa, envuelven completamente el perfil. El método de decoración o impresión utilizado es el de sublimación o impresión a calor. La sublimación es el paso físico de una materia del estado sólido al gaseoso sin pasar por el estado líquido. Proceso productivo no contaminante: él es limpio y seco, sin residuos de material colorante u residuos químicos, agua de residuo: el personal, los bosques, las montañas y los mares agradecen.

Cuerpo: aluminio extrusionado

Test en neblina salinizada: > 1500 horas

Das Prinzip ist einfach: lackieren und dekorieren


Es wird zuerst ein Kunststofffilm mit organischen, lichtempfindlichen Pigmenten und Zellharz bedruckt, mit dem das ganze Profil eingehüllt wird. Die Dekorations- oder Druckmethode nennt man Sublimation oder Warmumformen. Sublimation ist der physische Übergang eines Stoffes vom festen Zustand zum gasförmigem Zustand, ohne einen flüssigen Zustand zu haben. Das ist ein umweltfreundlicher Herstellungsprozess, der sauber und trocken ist, ohne Materialrückstand, Chemierückstand und Abwasser. Die Menschen, der Wald, die Berge und die Meere danken uns dafür.

Körper: aluminium

Test Korrosiongeschützt: > 1500 Stunden



colori
colours
couleurs
colores
farben




P [ngv]

nero/verde - black/green
noir/vert - negro/verde
Schwarz/Grün



R [nga]

nero/argento - black/silver
noir-argent - negro/plata
Schwarz/Silber



T [ngo]

nero/oro - black/gold
noir/or - negro/oro
Schwarz/Gold



S [ngr]

nero/rame - black/copper
noir/cuivre - negro/cobre
Schwarz/Kupfer



G [ngg]

nero - black - noir
negro - Schwarz



U [bgg]

bianco - white - blanc
blanco - Weiß



M [all]

grigio metallizzato
metal grey - gris métallique
gris metalizado - Metallgrau



L [nhg]

grafite - graphite
graphite - grafite
Graphit



V [oxi]

oxide

Una vasta gamma di colori opzionali . Componenti cromatizzati garantiti 900 ore in nebbia salina.

A wide range of optional colours is available. Chromatised parts are guaranteed 900 hours in saline mist.

Une vaste gamme de couleurs optionnelles. Composants chromatisés garantis 900 heures dans le brouillard salin.

Extenso surtido de colores a escoger. Piezas cromatizadas y garantizadas con 900 horas en neblina salinizada.

Ein große Auswahl an optionalen Farben. Korrossionsbeständigkeit der chromatisierten Teile 900 Stunden im Salzwasser-Nebel getestet.

accessori

accessoires

accessoires

accesorios

Zubehör



code **00DEC**



Liquido per sgrassare, pulire e proteggere gli articoli in acciaio inox AISI 316L
 Maintenance kit for polishing and protecting products in stainless steel AISI 316L
 Liquide pour dégraissé, nettoyer et protéger les articles en acier inoxydable AISI 316L
 Líquido para desengrasar, pulir y proteger los artículos de acero inoxidable AISI 316L
 Flüssigkeit zur Entfettung, Reinigung und zum Schutz von Edelstahloberflächen AISI 316L

14




code **0404M009**
 Single connection IP68




code **0404M010**
 code **0404M011**
 Single connection IP68



code **0404M004**
 Single connection IP68



code **0404M003**
 code **0404M016**
 Loop in loop out IP68



lampara INOX
 cod. 9500.PA6T2
 Thanks to Pipbrothers - BG

LANDA[®]
illuminotecnica



CATALOGUE

luce italiana

morphis

art.
175

designers Innocenzo Rifino
& Lorenzo Ruggieri

OHIM:
European Patent No.
001810037-001


Chinese Patent No.
HC-IP Agency Co., LTD
CN - 302520755 S



16



corpo alluminio pressofuso
body in die casting aluminium
corps en aluminium moulé
sous pression
cuerpo aluminio inyectado
Körper aus Aluminium-
Druckguss

diffusore policarbonato
trasparente
diffuser transparent
polycarbonate
diffuseur polycarbonate
transparent
difusor policarbonato
transparente
Diffuser Polykarbonat klar




FOR TECHNICAL DETAILS VISIT
www.landalighting.com

IP65 960°



ELECTRIFICATION



INSTALLATION

dettagli / details / details
detalles / detalles:
p.8-9

Energy efficiency classes

Included:



code 0404M004
Single connection IP68

example code:
| art. | size | colour |
175 .00 G

morphis



ENERGY
SAVING


17




Accessories on request:



code 0404M003
Loop in loop out IP68




code 00A170.01P
Anchor Bolt



code 00KR175U
Only for: E27

refrattore
refractor
réfracteur
refractor
Refraktor



example code
00596

angoliera
corner bracket
support d'angle
esquinera
Eckhalterungen



morphis

art.
176

designers Innocenzo Rifino
& Lorenzo Ruggieri

OHIM:
European Patent No.
001810037-001


Chinese Patent No.
HC-IP Agency Co., LTD
CN - 302520755 S



18



corpo alluminio pressofuso
body in die casting aluminium
corps en aluminium moulé
sous pression
cuerpo aluminio inyectado
Körper aus Aluminium-
Druckguss

diffusore policarbonato
trasparente
diffuser transparent
polycarbonate
diffuseur polycarbonate
transparent
difusor policarbonato
transparente
Diffuser Polykarbonat klar



FOR TECHNICAL DETAILS VISIT
www.landalighting.com

IP65 960°




ELECTRIFICATION

INSTALLATION

dettagli / details / details
detalles / detalles:
p.8-9

Energy efficiency classes



Included:



code 0404M004
Single connection IP68

example code:
| art. | size | colour |
176 .01 G



morphis




19




Accessories on request:



code 0404M003
Loop in loop out IP68




code 00A170.01P
Anchor Bolt



code 00KR175U
Only for: E27

refrattore
refractor
réfracteur
refractor
Refraktor



example code
00596

angoliera
corner bracket
support d'angle
esquinera
Eckhalterungen



morphis

art.
177

designers Innocenzo Rifino
& Lorenzo Ruggieri



OHIM:
European Patent No.
001810037-001

Chinese Patent No.
HC-IP Agency Co., LTD
CN - 302520755 S

20



corpo alluminio pressofuso
body in die casting aluminium
corps en aluminium moulé
sous pression
cuerpo aluminio inyectado
Körper aus Aluminium-
Druckguss

diffusore policarbonato
trasparente
diffuser transparent
polycarbonate
diffuseur polycarbonate
transparent
difusor policarbonato
transparente
Diffuser Polykarbonat klar




FOR TECHNICAL DETAILS VISIT
www.landalighting.com

IP65 960°



ELECTRIFICATION



A+ ÷ E

INSTALLATION

dettagli / details / details
detalles / detalles:
p.8-9

Energy efficiency classes

Included:



code 0404M004
Single connection IP68

example code:
| art. | size | colour |
177 .095 G



ENERGY
SAVING


21



Accessories on request:




code 0404M003
Loop in loop out IP68



code 00A170.01P
Anchor Bolt

Accessories
not available for:
177.33 (E27)



code 00KR175U
Only for: E27

refrattore
refractor
réfracteur
refractor
Refraktor



serie/series
morphis
 wall

example code:
 | art. | colour |
 175B V

art.
175

designers Innocenzo Rifino
 & Lorenzo Ruggieri

OHIM:
 European Patent No.
 001810037-001

Chinese Patent No.
 HC-IP Agency Co., LTD
 CN - 302520755 S

corpo alluminio pressofuso
 22 body in die casting aluminium
 corps en aluminium moulé
 sous pression
 cuerpo aluminio inyectado
 Körper aus Aluminium-
 Druckguss


diffusore policarbonato
 diffuser polycarbonate
 diffuseur polycarbonate
 difusor policarbonato
 Diffuser Polykarbonat

FOR TECHNICAL DETAILS VISIT
www.landalighting.com

IP65 960°



sensor
 175BSEN (E27)



175 (E27)





175B (E27)

ELECTRIFICATION

INSTALLATION

detailed / details / detalles:
 p.8-9

Energy efficiency classes



morphis wall



ENERGY
SAVING

23



parigi mini

art.
370



example code:
| art. | finishing | size | colour |
370 . 01 P

Disponibilità da verificare
Availability to be verified
Disponibilité à vérifier
Disponibilidad para ser verificado
Verfügbarkeit zu überprüfen

24

corpo alluminio pressofuso
body in die casting aluminium
corps en aluminium moulé
sous pression
cuerpo aluminio inyectado
Körper aus Aluminium-
Druckguss


diffusore policarbonato
trasparente
diffuser transparent
polycarbonate
diffuseur polycarbonate
transparent
difusor policarbonato
transparente
Diffuser Polykarbonat klar

dettagli / details / details detalles / details:
p.66-67

FOR TECHNICAL DETAILS VISIT
www.landalighting.com

IP44

960°





ELECTRIFICATION

INSTALLATION

dettagli / details / details
detalles / details:
p.8-9

Energy efficiency classes



parigi mini



Thanks to Creative Solution - GR


Accessories on request:



code 0404M004
Single connection IP68



code 0404M003
Loop in loop out IP68



Anchor Bolt:
code 00APF6

370.PF4.....
370.PF5.....
370.PF6.....

370.PR5.....
370.PR6.....

370.PR7.....
00APR6
00APR8



25



parigi

art.
371-372

Disponibilità da verificare
Availability to be verified
Disponibilité à vérifier
Disponibilidad para ser verificado
Verfügbarkeit zu überprüfen

26

corpo alluminio pressofuso
body in die casting aluminium
corps en aluminium moulé
sous pression
cuerpo aluminio inyectado
Körper aus Aluminium-
Druckguss

diffusore policarbonato
trasparente
diffuser transparent
polycarbonate
diffuseur polycarbonate
transparent
difusor policarbonato
transparente
Diffuser Polykarbonat klar

dettagli / details / details detalles / details:
p.66-67

FOR TECHNICAL DETAILS VISIT
www.landalighting.com

IP44

960°

ELECTRIFICATION







INSTALLATION

dettagli / details / details
detalles / details:
p.8-9

Energy efficiency classes



			example code:
art.	finishing	size	colour
372	.	00	P



parigi



Thanks to Moretti Luce - IT


Accessories on request:



code 0404M004
Single connection IP68



code 0404M003
Loop in loop out IP68



Anchor Bolt:
code 00APF6

372.PF4.....
372.PF5.....
372.PF6.....

372.PF7.....
372.PF8.....
372.PE7.....
372.PE8.....

372.PR5.....
372.PR6.....

372.PR7.....
372.PR8.....
00APR6
00APR8



27



parigi maxi

art.
373-374

Disponibilità da verificare
Availability to be verified
Disponibilité à vérifier
Disponibilidad para ser verificado
Verfügbarkeit zu überprüfen

28

corpo alluminio pressofuso
body in die casting aluminium
corps en aluminium moulé
sous pression
cuerpo aluminio inyectado
Körper aus Aluminium-
Druckguss

diffusore policarbonato
trasparente
diffuser transparent
polycarbonate
diffuseur polycarbonate
transparent
difusor policarbonato
transparente
Diffuser Polykarbonat klar

dettagli / details / details detalles / details:
p.66-67

FOR TECHNICAL DETAILS VISIT
www.landalighting.com


IP44

960°




example code:
| art. | finishing | size | colour |
374 . 00 G

115
+24+
IP43
MAX
75W
374.02



148
+24+
da 138 a 203
+24+
da 157 a 241
+24+
da 163 a 228
+24+
da 193 a 258
374.PR4 374.PR5 374.PR6 374.PR7 374.PR8
374.33 374.44 374.PF4 374.PF5 374.PF6





ELECTRIFICATION

INSTALLATION

dettagli / details / details detalles / details:
p.8-9




Energy efficiency classes



parigi maxi



29




Accessories on request:



code 0404M004
Single connection IP68




code 0404M003
Loop in loop out IP68



Anchor Bolt:
code 00APF6

374.PF7.....	374.PF8.....	374.PF9.....	374.PF4.....	374.PF5.....	374.PF6.....	374.PF7.....	374.PF8.....	374.PF9.....
374.PE7.....	374.PE8.....	374.PE9.....	374.PE4.....	374.PE5.....	374.PE6.....	374.PR5.....	374.PR6.....	374.PR7.....
00APF6	00APF8	00APR6	00APF6	00APF8	00APR6	00APR6	00APR8	00APR8



serie/series

lampara



LED

art.
100


30

corpo alluminio pressofuso
 body in die casting aluminium
 corps en aluminium moulé
 sous pression
 cuerpo aluminio inyectado
 Körper aus Aluminium-
 Druckguss

diffusore policarbonato opale
 diffuser opal polycarbonate
 diffuseur polycarbonate
 opaque
 difusor policarbonato ópalo
 Diffuser Polykarbonat opal




FOR TECHNICAL DETAILS VISIT
www.landalighting.com



code 100A.....

articoli disponibili anche con cappello in rame
 the items are also available with copper top
 ces articles sont disponibles également avec un chapeau en cuivre
 piezas disponibles también en cobre
 Diese Artikel sind auch mit Kupfer-Dach verfügbar





BASE DIMENSIONS

ELECTRIFICATION

LED & INSTALLATION

detttagli / details / details
 detalles / details:
 p.8-9

Energy efficiency classes



lampara



ENERGY SAVING

31




Accessories on request:




code 0404M004
Single connection IP68



code 0404M003
Loop in loop out IP68



Anchor Bolt
code 00APL6



00108G

angoliera
corner bracket
patte d'angle
esquinera
Eckhalterungen



esempio di fissaggio
fixing example
exemple de fixation
ejemplo de fijación
Beispiel von Fixierung





lampara

art.
100

corpo alluminio pressofuso
body in die casting aluminium
corps en aluminium moulé
sous pression
cuerpo aluminio inyectado
Körper aus Aluminium-
Druckguss

32

diffusore policarbonato
trasparente
diffuser transparent
polycarbonate
diffuseur polycarbonate
transparent
difusor policarbonato
transparente
Diffuser Polykarbonat klar




FOR TECHNICAL DETAILS VISIT
www.landalighting.com

IP44

850°




articoli disponibili anche con cappello in rame
the items are also available with copper top
ces articles sont disponibles également avec un chapeau en cuivre
piezas disponibles también en cobre
Diese Artikel sind auch mit Kupfer-Dach verfügbar



BASE DIMENSIONS


ELECTRIFICATION



INSTALLATION

dettagli / details / details
detalles / details:
p.8-9

Energy efficiency classes



lampara

Thanks to Martin Fukna - PMR connection SK



Thanks to KSR Lighting - UK

ENERGY SAVING

33




Accessories on request:




code 0404M004
Single connection IP68



code 0404M003
Loop in loop out IP68



Anchor Bolt
code 00APL6




00108G

angoliera
corner bracket
patte d'angle
esquinera
Eckhalterungen




esempio di fissaggio
fixing example
exemple de fixation
ejemplo de fijación
Beispiel von Fixierung



serie/series

sirio

art.
150



34

corpo alluminio pressofuso
body in die casting aluminium
corps en aluminium moulé
sous pression
cuerpo aluminio inyectado
Körper aus Aluminium-
Druckguss


diffusore policarbonato opale
diffuser opal polycarbonate
diffuseur polycarbonate
opaque
difusor policarbonato ópalo
Diffuser Polykarbonat opal

FOR TECHNICAL DETAILS VISIT
www.landalighting.com


IP43

850°

example code:
| art. | finishing | size | colour |
150 . O1 L




ELECTRIFICATION



INSTALLATION

dettagli / details / details
detalles / details:
p.8-9

Energy efficiency classes




BASE DIMENSIONS




COLOURS



35




Accessories on request:



angoliera
corner bracket
patte d'angle
esquinera
Eckhalterungen

00108G



esempio di fissaggio
fixing example
exemple de fixation
ejemplo de fijación
Beispiel von Fixierung



serie/series

venezia mini

example code:
 | art. | finishing | size | colour |
 310 . 00 U

art.
310



Disponibilità da verificare
Availability to be verified
Disponibilité à vérifier
Disponibilidad para ser verificado
Verfügbarkeit zu überprüfen

36

corpo alluminio pressofuso
 body in die casting aluminium
 corps en aluminium moulé
 sous pression
 cuerpo aluminio inyectado
 Körper aus Aluminium-
 Druckguss


diffusore policarbonato
 trasparente
 diffuser transparent
 polycarbonate
 diffuseur polycarbonate
 transparent
 difusor policarbonato
 transparente
 Diffuser Polykarbonat klar

dettagli / details / details detalles / details:
p. 66-67

FOR TECHNICAL DETAILS VISIT
www.landalighting.com

IP43

960°





ELECTRIFICATION

INSTALLATION

dettagli / details / details
 detalles / details:
p.8-9

Energy efficiency classes



Accessories on request:




venezia mini



ENERGY
SAVING

37



Anchor Bolt:
code **00APF6**

310.PF4.....

310.PF5.....

310.PF6.....

310.PR5.....


310.PR6.....

310.PR7.....

00APR6

00APR7

00APR8




00108G

angoliera
corner bracket
patte d'angle
esquinera
Eckhalterungen



esempio di fissaggio
fixing example
exemple de fixation
ejemplo de fijación
Beispiel von Fixierung



venezia

art.
311-312

Disponibilità da verificare
Availability to be verified
Disponibilité à vérifier
Disponibilidad para ser verificado
Verfügbarkeit zu überprüfen

38

corpo alluminio pressofuso
body in die casting aluminium
corps en aluminium moulé
sous pression
cuerpo aluminio inyectado
Körper aus Aluminium-
Druckguss


diffusore policarbonato
trasparente
diffuser transparent
polycarbonate
diffuseur polycarbonate
transparent
difusor policarbonato
transparente
Diffuser Polykarbonat klar

dettagli / details / details detalles / details:
p. 66-67

FOR TECHNICAL DETAILS VISIT
www.landalighting.com

IP43

960°




ELECTRIFICATION





INSTALLATION

dettagli / details / details
detalles / details:
p.8-9

Energy efficiency classes



Accessories on request:




venezia



ENERGY SAVING


39



Anchor Bolt:
code 00APF6

312.PF4..... 312.PF7.....
312.PF5..... 312.PF8.....
312.PF6.....

312.PE7..... 312.PR5..... 312.PR7.....
312.PE8..... 312.PE6..... 312.PR6.....
312.PE8.....



00108G

angoliera
corner bracket
patte d'angle
esquinera
Eckhalterungen



esempio di fissaggio
fixing example
exemple de fixation
ejemplo de fijación
Beispiel von Fixierung



serie/series
amalfi
mini

example code:
 art. | finishing | size | colour
 320 . 00 G

art.
320



Disponibilità da verificare
 Availability to be verified
 Disponibilité à vérifier
 Disponibilidad para ser verificado
 Verfügbarkeit zu überprüfen


40 corpo alluminio pressofuso
 body in die casting aluminium
 corps en aluminium moulé
 sous pression
 cuerpo aluminio inyectado
 Körper aus Aluminium-
 Druckguss

diffusore PMMA opale
 diffuser PMMA opal
 diffuseur PMMA opaque
 difusor PMMA ópalo
 Diffuser PMMA opal


dettagli / details / details detalles / details:
p. 66-67

FOR TECHNICAL DETAILS VISIT
www.landalighting.com

IP43



ELECTRIFICATION



INSTALLATION

dettagli / details / details
 detalles / details:
p.8-9

Energy efficiency classes




Accessories on request:




code 0404M004 Single connection IP68
 code 0404M003 Loop in loop out IP68

amalfi mini



Anchor Bolt:
code 00APF6 00APR8

320.PF5.... 320.PR7....



00108G

angoliera
corner bracket
patte d'angle
esquinera
Eckhalterungen



esempio di fissaggio
fixing example
exemple de fixation
ejemplo de fijación
Beispiel von Fixierung



ENERGY
SAVING

41



serie/series

amalfi

art.
321-322

Disponibilità da verificare
Availability to be verified
Disponibilité à vérifier
Disponibilidad para ser verificado
Verfügbarkeit zu überprüfen

42 corpo alluminio pressofuso
body in die casting aluminium
corps en aluminium moulé
sous pression
cuerpo aluminio inyectado
Körper aus Aluminium-
Druckguss

diffusore PMMA opale
diffuser PMMA opal
diffuseur PMMA opaque
difusor PMMA ópalo
Diffuser PMMA opal



dettagli / details / details detalles / details:
p. 66-67

FOR TECHNICAL DETAILS VISIT
www.landalighting.com


IP43



example code:
| art. | finishing | size | colour |
322 . 00 U




ELECTRIFICATION



INSTALLATION

dettagli / details / details detalles / details:
p. 8-9



Energy efficiency classes



Accessories on request:



amalfi




angoliera
corner bracket
patte d'angle
esquinera
Eckhalterungen
00108G



esempio di fissaggio
fixing example
exemple de fixation
ejemplo de fijación
Beispiel von Fixierung



ENERGY
SAVING



Anchor Bolt:
code 00APF6

322.PF4..... 322.PF7.....
322.PF5..... 322.PF8.....
322.PF6.....

322.PE7..... 322.PR5..... 322.PR7.....
322.PE8..... 322.PR6..... 322.PR8.....
00APF8 00APR6 00APR8




serie/series
amalfi
maxi

example code:
 art. | finishing | size | colour
 323 . 00 P

art.
323

Disponibilità da verificare
 Availability to be verified
 Disponibilité à vérifier
 Disponibilidad para ser verificado
 Verfügbarkeit zu überprüfen




44 corpo alluminio pressofuso
 body in die casting aluminium
 corps en aluminium moulé
 sous pression
 cuerpo aluminio inyectado
 Körper aus Aluminium-
 Druckguss

diffusore PMMA opale
 diffuser PMMA opal
 diffuseur PMMA opaque
 difusor PMMA ópalo
 Diffuser PMMA opal

dettagli / details / details detalles / details:
 p. 66-67

FOR TECHNICAL DETAILS VISIT
www.landalighting.com

IP43





ELECTRIFICATION

INSTALLATION

dettagli / details / details
 detalles / details:
 p.8-9

Energy efficiency classes





Accessories on request:




code 0404M004 Single connection IP68
 code 0404M003 Loop in loop out IP68



Thanks to Webcom - R0




Thanks to Effect Lighting - R0



Anchor Bolt:
code 00APF6

323.PF7.....	323.PF8.....
323.PF4.....	323.PF9.....
323.PF5.....	323.PE7.....
323.PF6.....	323.PE8.....
323.PF7.....	323.PR5.....
323.PF8.....	323.PR6.....
323.PF9.....	323.PR7.....
323.PE7.....	323.PR8.....
323.PE8.....	
323.PE9.....	
323.PF5.....	
323.PF6.....	
323.PF7.....	
323.PF8.....	
323.PF9.....	
323.PE7.....	
323.PE8.....	
323.PE9.....	



00108G

angoliera
corner bracket
patte d'angle
esquinera
Eckhalterungen



esempio di fissaggio
fixing example
exemple de fixation
ejemplo de fijación
Beispiel von Fixierung



ENERGY
SAVING

serie/series

firenze

art.
330

Disponibilità da verificare
Availability to be verified
Disponibilité à vérifier
Disponibilidad para ser verificado
Verfügbarkeit zu überprüfen

46 corpo alluminio pressofuso
body in die casting aluminium
corps en aluminium moulé
sous pression
cuerpo aluminio inyectado
Körper aus Aluminium-
Druckguss

diffusore Vetro
diffuser glass
diffuseur Verre
difusor vidrio
Diffuser Glas

dettagli / details / details detalles / details:
p. 66-67



example code:
| art. | finishing | size | colour |
330 . 33 G
example copper top code:
| art. | finishing | size | colour |
330 **A** 33 G

	H-22- 45 28 330.00	H-22- 45 28 330.01	H-22- 105 MAX 75W 330.02
	330A00	330A01	330A02

	H-22- 116 53 330.33		H-22- 155 211 330.PF4		H-22- 249 211 330.PF5		H-22- 249 249 330.PF6
330A33	330A44	330APF4	330APF5	330APF6			

	H-22- 135 330.PR4		H-22- da 125 a 190 330.PR5		H-22- da 144 a 228 330.PR6		H-22- ca 150 a 215 330.PR7		H-22- da 180 a 245 330.PR8		330.....T2		330.....T3		330.PF6T2 .PF6T3		330.PF8T2 .PF8T3
330APR4	330APR5	330APR6													330APF6T2 APF6T3		330APF8T2 APF8T3

FOR TECHNICAL DETAILS VISIT
www.landalighting.com

IP43





Articoli disponibili anche con cappello in rame
The items are also available with copper top
Ces articles sont disponibles également avec un chapeau en cuivre
Piezas disponibles también en cobre
Diese Artikel sind auch mit Kupfer-Dach verfügbar

ELECTRIFICATION

INSTALLATION

dettagli / details / details detalles / details:
p.8-9

Energy efficiency classes



Accessories on request:





code 0404M004
Single connection IP68




code 0404M1003
Loop in loop out IP68

firenze



ENERGY SAVING

47




Anchor Bolt:
code 00APF6

330.PF4.....
330.PF5.....
330.PF6.....

330.PF7.....
330.PF8.....
330.PE8.....

330.PE7.....
330.PR5.....
330.PE8.....

330.PR7.....
330.PR6.....
330.PR8.....



00108G

angoliera
corner bracket
patte d'angle
esquinera
Eckhalterungen



esempio di fissaggio
fixing example
exemple de fixation
ejemplo de fijación
Beispiel von Fixierung



monaco

art.
340

Disponibilità da verificare
Availability to be verified
Disponibilité à vérifier
Disponibilidad para ser verificado
Verfügbarkeit zu überprüfen




48 **corpo alluminio pressofuso**
body in die casting aluminium
corps en aluminium moulé
sous pression
cuerpo aluminio inyectado
Körper aus Aluminium-
Druckguss

diffusore Vetro
diffuser glass
diffuseur Verre
difusor vidrio
Diffuser Glas

dettagli / details / details detalles / details:
p. 66-67



example code:
| art. | finishing | size | colour |
340 . 00 R
example copper top code:
| art. | finishing | size | colour |
340 A 00 R



FOR TECHNICAL DETAILS VISIT
www.landalighting.com





Articoli disponibili anche con cappello in rame
The items are also available with copper top
Ces articles sont disponibles également avec un chapeau en cuivre
Piezas disponibles también en cobre
Diese Artikel sind auch mit Kupfer-Dach verfügbar

ELECTRIFICATION

INSTALLATION

dettagli / details / details detalles / details:
p.8-9


Energy efficiency classes




Accessories on request:



monaco



49



Anchor Bolt:
code 00APF6

340.PF4.....
340.PF5.....
340.PF6.....

340.PF7.....
340.PF8.....
340.PF9.....


340.PE7.....
340.PE8.....
340.PE9.....

340.PR5.....

340.PR6.....

340.PR7.....

340.PR8.....



00108G

angoliera
corner bracket
patte d'angle
esquinera
Eckhalterungen



esempio di fissaggio
fixing example
exemple de fixation
ejemplo de fijación
Beispiel von Fixierung



serie/series

romantica

LED

art.
350

50 corpo alluminio pressofuso
body in die casting aluminium
corps en aluminium moulé
sous pression
cuerpo aluminio inyectado
Körper aus Aluminium-
Druckguss

diffusore policarbonato opale
diffuser opal polycarbonate
diffuseur polycarbonate
opaque
difusor policarbonato ópalo
Diffuser Polykarbonat opal

dettagli / details / details detalles / details:
p. 66-67

FOR TECHNICAL DETAILS VISIT
www.landalighting.com

IP43

960°



Articoli disponibili anche con cappello in rame
The items are also available with copper top
Ces articles sont disponibles également avec un chapeau en cuivre
Piezas disponibles también en cobre
Diese Artikel sind auch mit Kupfer-Dach verfügbar

ELECTRIFICATION
LED & INSTALLATION

dettagli / details / details
detalles / details:
p.8-9


Energy efficiency classes




example code:			
art.	finishing	size	diffuser
350	.	00	B R


example copper top code:			
art.	finishing	size	LED
350	A	00 LH	B R

	350.00B(E27) .00LHB	350.01B(E27) .01LHB
	350.A00B(E27) A00LHB	350.A01B(E27) A01LHB




max 100 W	max 23 W	max 15 W	LH
			E27
5,3	5,3	6	LED 12 W 3000K 1100LM Ra80
16,5	16,5	15	A++ ÷ A
			A++ ÷ A





ENERGY SAVING

51



00108G

angoliera
corner bracket
patte d'angle
esquinera
Eckhalterungen



esempio di fissaggio
fixing example
exemple de fixation
ejemplo de fijación
Beispiel von Fixierung


Accessories on request:



code 0404M004
Single connection IP68



code 0404M003
Loop in loop out IP68



Anchor Bolt:
code 00APF6

350.PF7.....

350.PF8.....

350.PE7.....

350.PE8.....

350.PR8.....

00APF8 00APR8



romantica

art.
350

Disponibilità da verificare
Availability to be verified
Disponibilité à vérifier
Disponibilidad para ser verificado
Verfügbarkeit zu überprüfen

52




corpo alluminio pressofuso
body in die casting aluminium
corps en aluminium moulé
sous pression
cuerpo aluminio inyectado
Körper aus Aluminium-
Druckguss

diffusore policarbonato
trasparente
diffuser transparent
polycarbonate
diffuseur polycarbonate
transparent
difusor policarbonato
transparente
Diffuser Polykarbonat klar

dettagli / details / details detalles / details:
p. 66-67




example code:
| art. | finishing | size | colour |
350 . 00 S
example copper top code:
| art. | finishing | size | colour |
350 A 00 S



FOR TECHNICAL DETAILS VISIT
www.landalighting.com

IP43

960°





Articoli disponibili anche con cappello in rame
The items are also available with copper top
Ces articles sont disponibles également avec un chapeau en cuivre
Piezas disponibles también en cobre
Diese Artikel sind auch mit Kupfer-Dach verfügbar

INSTALLATION

dettagli / details / details
detalles / details:
p.8-9

Energy efficiency classes



Accessories on request:






code 0404M004
Single connection IP68




code 0404M003
Loop in loop out IP68

romantica




53



Anchor Bolt:
code 00APF6

350.PF4..... 350.PF7.....
350.PF5..... 350.PE7.....
350.PF6..... 350.PE8.....

350.PF8..... 350.PR5..... 350.PR7.....
350.PE5..... 350.PE6..... 350.PR8.....



00108G

angoliera
corner bracket
patte d'angle
esquinera
Eckhalterungen



esempio di fissaggio
fixing example
exemple de fixation
ejemplo de fijación
Beispiel von Fixierung



augusta

art.
360

Disponibilità da verificare
Availability to be verified
Disponibilité à vérifier
Disponibilidad para ser verificado
Verfügbarkeit zu überprüfen

54

corpo alluminio pressofuso
body in die casting aluminium
corps en aluminium moulé
sous pression
cuerpo aluminio inyectado
Körper aus Aluminium-
Druckguss




diffusore policarbonato
trasparente
diffuser transparent
polycarbonate
diffuseur polycarbonate
transparent
difusor policarbonato
transparente
Diffuser Polykarbonat klar

dettagli / details / details detalles / details:
p. 66-67

FOR TECHNICAL DETAILS VISIT
www.landalighting.com

IP44

960°



Articoli disponibili anche con cappello in rame

The items are also available with copper top

Ces articles sont disponibles également avec un chapeau en cuivre



Piezas disponibles también en cobre

Diese Artikel sind auch mit Kupfer-Dach verfügbar

INSTALLATION

dettagli / details / details
detalles / details:
p.8-9

Energy efficiency classes



Accessories on request:



code 0404M004

Single connection IP68



code 0404M003



Loop in loop out IP68

augusta



ENERGY SAVING

55




Anchor Bolt:
code 00APF6

360.PF4..... 360.PF7.....
360.PF5..... 360.PE7.....
360.PF6..... 360.PE8.....

360.PF8..... 360.PE5.....
360.PE7..... 360.PR5.....
360.PE8..... 360.PR6.....

360.PR7.....
360.PR6.....
360.PR8.....



00108G

angoliera
corner bracket
patte d'angle
esquinera
Eckhalterungen



esempio di fissaggio
fixing example
exemple de fixation
ejemplo de fijación
Beispiel von Fixierung





nizza

art.
390-391



example code:
 art. | finishing | size | colour
 391 . 01 S

Disponibilità da verificare
 Availability to be verified
 Disponibilité à vérifier
 Disponibilidad para ser verificado
 Verfügbarkeit zu überprüfen



56

corpo alluminio pressofuso
 body in die casting aluminium
 corps en aluminium moulé
 sous pression
 cuerpo aluminio inyectado
 Körper aus Aluminium-
 Druckguss



dettagli / details / details detalles / details:
 p. 66-67

FOR TECHNICAL DETAILS VISIT
www.landalighting.com



IP43

ELECTRIFICATION

INSTALLATION

dettagli / details / details
 detalles / details:
 p.8-9

Energy efficiency classes







Accessories on request:





code 0404M004
 Single connection IP68

code 0404M003
 Loop in loop out IP68



Thanks to Ansell Lighting - UK




Anchor Bolt:
code 00APF6

391.PF4.....
391.PF5.....
391.PF6.....

391.PF7.....
391.PF8.....
391.PE7.....

391.PE8.....
391.PR5.....
391.PR6.....

391.PR7.....
391.PR8.....
391.PR8.....



00108G

angoliera
corner bracket
patte d'angle
esquinera
Eckhalterungen



esempio di fissaggio
fixing example
exemple de fixation
ejemplo de fijación
Beispiel von Fixierung



pisa

art.
300

Disponibilità da verificare
Availability to be verified
Disponibilité à vérifier
Disponibilidad para ser verificado
Verfügbarkeit zu überprüfen

58

corpo alluminio pressofuso
body in die casting aluminium
corps en aluminium moulé
sous pression
cuerpo aluminio inyectado
Körper aus Aluminium-
Druckguss

dettagli / details / details detallas / details:
p. 66-67

INSTALLATION




dettagli / details / details detallas / details:
p.8-9

FOR TECHNICAL DETAILS VISIT
www.landalighting.com

IP43



Energy efficiency classes




00108G



angoliera
corner bracket
patte d'angle
esquiera
Eckhalterungen

esempio di fissaggio
fixing example
exemple de fixation
ejemplo de fijación
Beispiel von Fixierung

ELECTRIFICATION




Accessories on request:



code 0404M004
Single connection IP68



code 0404M003
Loop in loop out IP68



300.PF5....
300.PF6....
Anchor Bolt:
code 00APF6

example code:			
art.	finishing	size	colour
300	.	00	G

oslo

art.
301




Disponibilità da verificare
Availability to be verified
Disponibilité à vérifier
Disponibilidad para ser verificada
Verfügbarkeit zu überprüfen



corpo alluminio pressofuso
body in die casting aluminium
corps en aluminium moulé
sous pression
cuerpo aluminio inyectado
Körper aus Aluminium-
Druckguss

59



diffusore vetro
diffuser glass
diffuseur verre
difusor vidrio
Diffuser Glas



detttagli / details / details detalles / details:
p. 66-67

INSTALLATION


detttagli / details / details detalles / details:
p.8-9

FOR TECHNICAL DETAILS VISIT
www.landalighting.com

IP43



esempio di fissaggio
fixing example
exemple de fixation
ejemplo de fijación
Beispiel von Fixierung



301.PF5....
301.PF6....

Anchor Bolt:
code 00APF6


Accessories on request:



code 0404M004
Single connection IP68



code 0404M003
Loop in loop out IP68



Energy efficiency classes

serie/series

rio

art.
425


60

corpo alluminio pressofuso
body in die casting aluminium
corps en aluminium moulé
sous pression
cuerpo aluminio inyectado
Körper aus Aluminium-
Druckguss

diffusore policarbonato
diffuser polycarbonate
diffuseur polycarbonate
difusor policarbonato
Diffuser Polykarbonat




425B (E27)



425SEN (E27)



425AB (E27)




425ASEN (E27)


opale
opal
opaque
ópaloo
opal
850°



SENSOR | dettagli
details
détails
detalles
details:
p.10



425 (E27)



425A

trasparente
transparent
transparent
transparente
klar
850°

FOR TECHNICAL DETAILS VISIT
www.landalighting.com

IP44

TOP
FINISHING

A



code 425A.....



Articoli disponibili anche con cappello in rame
The items are also available with copper top
Ces articles sont disponibles également avec un chapeau en cuivre
Piezas disponibles también en cobre
Diese Artikel sind auch mit Kupfer-Dach verfügbar

ELECTRIFICATION

INSTALLATION

dettagli / details / details
detalles / details:
p.8-9

Energy efficiency classes



COLOURS

rio



ENERGY
SAVING

61



cervinia

example code:
 | art. | colour |
 9006 P

art.
9006


design Ufficio Tecnico Landa

Disponibilità da verificare
 Availability to be verified
 Disponibilité à vérifier
 Disponibilidad para ser verificado
 Verfügbarkeit zu überprüfen

62

corpo alluminio
 body aluminium
 corps en aluminium
 cuerpo aluminio
 Körper aus Aluminium

diffusore policarbonato opale
 diffuser polycarbonate opal
 diffuseur polycarbonate opaque
 difusor policarbonato ópalo
 Diffuser Polykarbonat opal



FOR TECHNICAL DETAILS VISIT
www.landalighting.com

850°



ELECTRIFICATION

INSTALLATION

detttagli / details / details
 detalles / details:
 p.8-9

Energy efficiency classes

sensor



cervinia



Thanks to Martin Fukria - PMR connection SK

ENERGY
SAVING

63



Thanks to Telesys - Turchia



cipro

art.
420



example code:
| art. | colour |
420B S

corpo alluminio pressofuso
body in die casting aluminium
corps en aluminium moulé
sous pression
cuerpo aluminio inyectado
Körper aus Aluminium-
Druckguss

64

diffusore policarbonato
diffuser polycarbonate
diffuseur polycarbonate
difusor policarbonato
Diffuser Polykarbonat

INSTALLATION

detttagli / details / details
detalles / detalles:
p.8-9

FOR TECHNICAL DETAILS VISIT
www.landalighting.com


IP44



opale
opal
opaque
ópalo
opal
850°





trasparente
transparent
transparente
-transparente
klar
850°



ELECTRIFICATION



Energy efficiency classes



example code:
 | art. | colour |
 421 U



Thanks to KSR Lighting - UK



maiorca

art.
421



corpo alluminio pressofuso
body in die casting aluminium
corps en aluminium moulé
sous pression
cuerpo aluminio inyectado
Körper aus Aluminium-
Druckguss

65

diffusore policarbonato
diffuser polycarbonate
diffuseur polycarbonate
difusor policarbonato
Diffuser Polykarbonat

INSTALLATION

dettagli / details / detalles:
detalles / details:
p.8-9

FOR TECHNICAL DETAILS VISIT
www.landalighting.com

IP44



opale
opal
opaque
ópalo
opal
850°



trasparente
transparent
transparente
-transparente
klar
850°


421BSEN (E27)

sensor



dettagli
details
detalles
détails:
p.10

max 100 W	max 23 W	max 15 W
5,3	16,5	6
		15
		A+ ÷ E



ELECTRIFICATION



Energy efficiency classes

serie/series


pali

posts / poteaux / postes / Maste


Nuovi pali fissi realizzati tramite fusione e profilati

New cast and extruded fixed posts - Nouveaux poteaux réalisés par fusion et extrusion -


Nuevos postes fijos producidos en aluminio inyectado y perfilado - Neue fixe Maste aus Aluminiumdruckguss und Stranggepresst




Cod. **OOAPF6**
Anchor Bolt



Cod. **OOAPF8**
Anchor Bolt



Cod. **OOAPF8**
Anchor Bolt





Nuovi pali regolabili in altezza realizzati tramite fusione e profilati

New cast and extruded posts with adjustable height. - Nouveaux poteaux réglables en hauteur réalisés par fusion et extrusion. - Nuevos postes ajustables en altura en aluminio inyectado y perfilado. - Neue höhenverstellbare Maste aus Aluminiumdruckguss und stranggepresst.

- Piastra in acciaio compresa

- Stainless steel plate included
- Embase en acier inoxydable comprise
- Chepa en acer inox includida
- Edelstahl Platte inklusive





68

▲ **amalfi**
cod. 321.PR7T2P
project by: WEBCOM - RO
pagg. 42-43

LANDA®
illuminotecnica

▼ **nizza**
cod. 391.PF7P
project by: Moretti Luce - IT
pagg. 56-57



▼ **augusta**
cod. 360APR5R
pagg. 54-55



▼ **venezia**
cod. 312.PR6P
project by: Moretti Luce - IT
pagg. 38-39





▼ saturno

▲ **parigi**
cod. 371.01G
project by: Creative Solution - GR
pagg.26-27

LANDA
illuminotecnica



serie/series



simmetrico
symmetric
symétriques
simétrico
symmetrisch

brick light

art.
410
411
412
413

design Ufficio Tecnico Landa

corpo alluminio pressofuso
body in die casting aluminium
corps en aluminium moulé
sous pression
cuerpo aluminio inyectado
Körper aus Aluminium-
Druckguss

70

diffusore vetro opale
diffuser glass opal
diffuseur verre opaque
difusor vidrio ópalo
Diffuser Glas opal






410


frontale in alluminio
/ aluminium frame /
cadre en aluminium
cornis aluminio
/ Rahmen aus
Aluminium



411



BOX DIMENSION



FOR TECHNICAL DETAILS VISIT
www.landalighting.com

IP65


art.	art.	W	V	Type	Ra
410	411	1x40		E27	82

ELECTRIFICATION

INSTALLATION

detttagli / details / details
detalles / details:
p.8-9

Energy efficiency classes



brick light



71






412Z


frontale in acciaio
inox AISI 316L /
stainless steel AISI
316L frame / cadre
en acier inoxydable
AISI 316L / cornis
acerinox AISI 316L
/ Rahmen aus
Edelstahl AISI 316L



413Z



BOX DIMENSION



art.	art.		W	V	Type		Ra
412Z	413Z		1x40		E27		



serie/series



lyras 80.1

example code:
 art. electrification colour L
 4652 GU10X2 L


art.
4652

design A. Dolcetti

OHIM:
European Patent No.
000346366-0003

corpo alluminio pressofuso
72 body in die casting aluminium
corps en aluminium moulé
sous pression
cuerpo aluminio inyectado
Körper aus Aluminium-
Druckguss

diffusore vetro trasparente
diffuser glass transparent
diffuseur Verre transparent
difusor vidrio transparente
Diffuser Glas klar



EASY INSTALLATION

art.		W	V	Type	LUX 1mtRa
4652GU10X1		1x6		LED Megaman GU10*	
				LED Osram Parathom GU10*	
4652GU5.3X1		1x8	12	LED Megaman GU5,3*	
				LED Osram Parathom GU5,3*	
4652GU10X2		2x6		LED Megaman GU10*	
				LED Osram Parathom GU10*	
4652GU5.3X2		2x8	12	LED Megaman GU5,3*	
				LED Osram Parathom GU5,3*	



down light
or up light



up and
down light

FOR TECHNICAL DETAILS VISIT
www.landalighting.com


IP66

ELECTRIFICATION


INSTALLATION

dettagli / details / details
detalles / detalles:
p.8-9

Energy efficiency classes



*Lampadine suggerite - non incluse
*Bulbs suggested - not included
*Ampoules suggérées - non incluses
*Glühbirne vorgeschlagen - nicht enthalten
*Bombillas recomienda - no incluidos





lyras 80.1



 ENERGY
SAVING

73



serie/series

LED

powered by
 Citizen Electronics® LED
 AC direct connection
 220/240V
 Transformer not required

ibis 2 LED

example code:
 art. | LED | finishing | size | ○ | colour |
 451 | L20 | . 00 | H | L |
 COUNTRY example code:
 art. | LED | finishing | size | ○ | colour |
 451 | L20 | K | 100 | H | L |

art.
451

design aDD & Leon & Monte
 progetto Meta-Distrettuale Numa

OHIM:
 European Patent No.
 000346366-0001

Chinese Patent No.
 HC-IP Agency Co., LTD
 patent pending

Disponibilità da verificare
 Availability to be verified
 Disponibilité à vérifier
 Disponibilidad para ser verificado
 Verfügbarkeit zu überprüfen

**corpo alluminio pressofuso
 e estruso**

body in die casting
 and extruded aluminum
 corps en aluminium moulé
 sous pression et extrudé
 cuerpo aluminio inyectado
 y extrusión
 Körper aus Aluminium-
 Druckguss

74

**diffusore policarbonato
 trasparente**
 diffuser transparent
 polycarbonate
 diffuseur polycarbonate
 transparent
 difusor policarbonato
 transparente
 Diffuser Polykarbonat klar



26

30

451L20.00N
L20.00H


30

50

451L20.050N
L20.050H

30

75

451L20.075N
L20.075H

30

100

451L20.100N
L20.100H

FOR TECHNICAL DETAILS VISIT
www.landalighting.com

IP65 960°

FINISHING



dettagli / details
 / details detalles
 / details: p.12-13




Wood that isn't wood

Processo produttivo non inquinante
 Production process is not polluting
 C'est un procédé de production non polluant
 Proceso productivo no contaminante
 Umweltfreundlicher Herstellungsprozess



COLOURS
 L [nhg] M [all] V [oxi]



ELECTRIFICATION

L20...N LED 20 W
 4000K
 2385LM
 Ra80

L20...H LED 20 W
 3000K
 2280LM
 Ra80

INSTALLATION

dettagli / details / details
 detalles / details:
 p.8-9

Energy efficiency classes

A++ ÷ A

Included:



code 0404M010
 Single connection IP68

ibis 2 LED




ENERGY
SAVING

75



Accessories on request:



Anchor Bolt
code 00A450



ibis 2

art.
451

design aDD & Leon & Monte
progetto Meta-Distrettuale Numa

OHIM:
European Patent No.
000346366-0001

Chinese Patent No.
HC-IP Agency Co., LTD
patent pending


Disponibilità da verificare
Availability to be verified
Disponibilité à vérifier
Disponibilidad para ser verificado
Verfügbarkeit zu überprüfen

corpo alluminio pressofuso
e estruso

body in die casting
and extruded aluminum
corps en aluminium moulé
sous pression et extrudé
cuerpo aluminio inyectado
y extrusionado
Körper aus Aluminium-
Druckguss

76

diffusore policarbonato
trasparente
diffuser transparent
polycarbonate
diffuseur polycarbonate
transparent
difusor policarbonato
transparente
Diffuser Polykarbonat klar



FOR TECHNICAL DETAILS VISIT
www.landalighting.com

IP65 96°

FINISHING




dettagli / details
/ details detalles
/ details:
p.12-13



Wood that isn't wood

Processo produttivo non inquinante
Production process is not polluting
C'est un procédé de production non polluant
Proceso productivo no contaminante
Umweltfreundlicher Herstellungsprozess




ELECTRIFICATION

INSTALLATION

dettagli / details / details
detalles / details:
p.8-9

Energy efficiency classes



Included:




code 0404M010
Single connection IP68

ibis 2



Accessories on request:



Anchor Bolt
code 00A450



ENERGY
SAVING

77



serie/series

oko

art.
406

designers Teseo Berghella

OHIM:
European Patent No.
001810037-002

Chinese Patent No.
HC-IP Agency Co., LTD
patent pending
CN - 302520583 S

78

corpo alluminio EN47000
body EN47000 aluminium
corps EN47000 aluminium
cuerpo aluminio EN47000
Körper EN47000 Aluminium

diffusore policarbonato frosted
diffuser frosted polycarbonate
diffuseur polycarbonate
frosted
difusor policarbonato frosted
Diffuser Polykarbonat frosted



OKO



applique / wall lamp /
applique / applique /
Wandleuchten



406.095(E27)




Incluso: accessorio
per monodirezione
Included: monodirectional
accessory
Inclus: accessoire
monodirectionnel
Incluido: accesorio
monodireccional
Beiliegend: unidirektionale
Zuberhör



FOR TECHNICAL DETAILS VISIT
www.landalighting.com

IP65 960°




ELECTRIFICATION

INSTALLATION

detttagli / details / details
detalles / detalles /
p.8-9

Energy efficiency classes



Included:



code 0404M004
Single connection IP68

oko



79



Accessories on request:



code 0404M003
Loop in loop out IP68



code 00A406.01P
Anchor Bolt



titano

art.
824

design Ufficio Tecnico Landa

OHIM:
European Patent No.
000508106-0002

corpo acciaio inox
e alluminio estruso
body stainless steel and
extruded aluminium
corps acier inoxydable
en aluminium extrudé
cuerpo acero inox y
aluminio extrusionado
Körper Edelstahl und
Aluminium

diffusore policarbonato
trasparente
diffuser transparent
polycarbonate
transparent
diffuseur polycarbonate
transparent
difusor policarbonato
transparente
Diffuser Polykarbonat klar

80



example code:
| art. | finishing | size | colour |
824 • 100 V
COUNTRY example code:
| art. | finishing | size | colour |
824 K 100 L

FOR TECHNICAL DETAILS VISIT
www.landalighting.com

IP65 960°

FINISHING



dettagli / details
/ details detalles
/ details:
p.12-13



Wood that isn't wood

Processo produttivo non inquinante
Production process is not polluting
C'est un procédé de production non polluant
Proceso productivo no contaminante
Umweltfreundlicher Herstellungsprozess




L [nhg] **V [oxi]**

ELECTRIFICATION

INSTALLATION

dettagli / details / details
detalles / details:
p.8-9

Energy efficiency classes



titano



81




Accessories on request:




code 0404M004
Single connection IP68




code 0404M003
Loop in loop out IP68



Root Mounting Kit code 00A400



H 47
Ø18
Ø3



code 00A400.01P
Anchor Bolt



titano

art.
825

design Ufficio Tecnico Landa

OHIM:
European Patent No.
000508106-0002

corpo acciaio inox
e alluminio estruso
body stainless steel and
extruded aluminium
corps acier inoxydable
en aluminium extrudé
cuerpo acero inox y
aluminio extrusionado
Körper Edelstahl und
Aluminium

diffusore policarbonato
trasparente
diffuser transparent
polycarbonate
transparent
diffuseur polycarbonate
transparent
difusor policarbonato
transparente
Diffuser Polykarbonat klar



example code:
 | art. | finishing | size | colour |
 825 • 100 V
 COUNTRY example code:
 | art. | finishing | size | colour |
 825 K 100 V

82

FOR TECHNICAL DETAILS VISIT
www.landalighting.com

IP65 960°

FINISHING



dettagli / details
/ details detalles
/ details:
p.12-13
code **825K....**

Wood that isn't wood

Processo produttivo non inquinante
Production process is not polluting
C'est un procédé de production non polluant
Proceso productivo no contaminante
Umweltfreundlicher Herstellungsprozess

COLOURS




ELECTRIFICATION

INSTALLATION

dettagli / details / details
detalles / details:
p.8-9

Energy efficiency classes



A+ - E

titano




Accessories on request:




code 0404M004
Single connection IP68




code 0404M003
Loop in loop out IP68



Root Mounting Kit code 00A400



H 47 Ø18
 Ø3



code 00A400.01P
Anchor Bolt



83



serie/series

neway wall

example code:
| art. | colour |
405 V

art.
405
405B

designers Innocenzo Rifino
& Lorenzo Ruggieri

OHIM:
European Patent No.
000659917-0003

Chinese Patent No.
HC-IP Agency Co., LTD
patent pending

84

corpo alluminio pressofuso
body in die casting
aluminium
corps en aluminium moulé
sous pression
cuerpo aluminio inyectado
Körper aus Aluminium-
Druckguss

diffusore policarbonato
diffuser polycarbonate
diffuseur polycarbonate
difusor policarbonato
Diffuser Polykarbonat





opale
opal
opale
ópalos
opal

850°




trasparente
transparent
transparent
transparente
klar

960°



FOR TECHNICAL DETAILS VISIT
www.landalighting.com

IP44




ELECTRIFICATION

INSTALLATION

dettagli / details / details
detalles / details:
p.8-9

Energy efficiency classes




neway wall



ENERGY
SAVING

85



neway

art.
405

designers Innocenzo Rifino
& Lorenzo Ruggieri

OHIM:
European Patent No.
000659917-0003

Chinese Patent No.
HC-IP Agency Co., LTD
patent pending

**corpo alluminio pressofuso
e estruso**

body in die casting
and extruded aluminium
corps en aluminium moulé
sous pression et extrudé
cuerpo aluminio inyectado
y extrusionado
Körper aus Aluminium-
Druckguss

86

**diffusore policarbonato
trasparente**
diffuser transparent
polycarbonate
transparent
diffuseur polycarbonate
transparent
difusor policarbonato
transparente
Diffuser Polykarbonat klar



FOR TECHNICAL DETAILS VISIT
www.landalighting.com

IP65 960°

FINISHING



dettagli / details /
details / detalles /
details:
p.12-13



code **405K....**

Wood that isn't wood







Processo produttivo non inquinante
Production process is not polluting
C'est un procédé de production non polluant
Proceso productivo no contaminante
Umweltfreundlicher Herstellungsprozess

example code:
| art. | finishing | size | colour |
405 | V | 100 | V |
COUNTRY example code:
| art. | finishing | size | colour |
405 | V | 100 | V |



405

dettagli / details / details
detalles / detalles / details: **p.84**




COLOURS

ELECTRIFICATION

INSTALLATION

dettagli / details / details
detalles / detalles /
details:
p.8-9

Energy efficiency classes



Included:



code **0404M004**
Single connection IP68

neway



87




Thanks to Ansell Lighting - UK



Accessories on request:



code 0404M016
Loop in loop out IP68



Root Mounting Kit code 00A405



code 00A405.01P
Anchor Bolt



polos 2

art.
4022

design Ufficio Tecnico Landa

OHIM:
European Patent No.
000508106-0002

**corpo alluminio pressofuso
e estruso**

body in die casting
and extruded aluminium
corps en aluminium moulé
sous pression et extrudé
cuerpo aluminio inyectado
y extrusionado
Körper aus Aluminium-
Druckguss

88

**diffusore policarbonato
trasparente**
diffuser transparent
polycarbonate
diffuseur polycarbonate
transparent
difusor policarbonato
transparente
Diffuser Polykarbonat klar



FOR TECHNICAL DETAILS VISIT
www.landalighting.com

IP65
code 4022.00-4022.10 IP64
960°



Wood that isn't wood


Processo produttivo non inquinante
Production process is not polluting
C'est un procédé de production non polluant
Proceso productivo no contaminante
Umweltfreundlicher Herstellungsprozess

example code:
| art. | finishing | size | colour |
4022 • 090 M
COUNTRY example code:
| art. | finishing | size | colour |
4022 K 090 L



4022.10

applique / wall lamp /
applique / applique /
Wandleuchten




ELECTRIFICATION

INSTALLATION

dettagli / details /
details / detalles /
details:
p.8-9

Energy efficiency classes



polos 2



89




Accessories on request:




code 0404M004
Single connection IP68




code 0404M003
Loop in loop out IP68



Root Mounting Kit code 00A405



H 47 Ø18 Ø3



code 00A405.01P
Anchor Bolt



polos 2

art.
4032

design Ufficio Tecnico Landa

OHIM:
European Patent No.
000508106-0002

90


corpo alluminio pressofuso
e estruso

body in die casting
and extruded aluminum
corps en aluminium moulé
sous pression et extrudé
cuerpo aluminio inyectado
y extrusionado
Körper aus Aluminium-
Druckguss

diffusore policarbonato
trasparente
diffuser transparent
polycarbonate
diffuseur polycarbonate
transparent
difusor policarbonato
transparente
Diffuser Polykarbonat klar



example code:
| art. |finishing| size | colour |
4032 • 10 L
COUNTRY example code:
| art. |finishing| size | colour |
4032 K 10 L



FOR TECHNICAL DETAILS VISIT
www.landalighting.com

IP65
code 4032.00 – 4032.10 IP64
960°

FINISHING



dettagli / details
/ details
detalles / details:
p.12-13



Wood that isn't wood

Processo produttivo non inquinante
Production process is not polluting
C'est un procédé de production non polluant
Proceso productivo no contaminante
Umweltfreundlicher Herstellungsprozess




ELECTRIFICATION

INSTALLATION

dettagli / details / details
detalles / details:
p.8-9

Energy efficiency classes



polos 2



Thanks to Franssen Verlichting - NL



91



Thanks to Franssen Verlichting - NL


Accessories on request:




code 0404M004
Single connection IP68




code 0404M003
Loop in loop out IP68



Root Mounting Kit code 00A405



H 47
Ø 18
Ø 03



code 00A405.01P
Anchor Bolt



serie/series

titano INOX

art.
822

design Ufficio Tecnico Landa

OHIM:
European Patent No.
000508106-0002

corpo acciaio inox AISI 316L
body stainless steel AISI 316L
corps acier inoxydable
AISI 316L
cuerpo acero inox AISI 316L
Körper Edelstahl AISI 316L

92

diffusore policarbonato
trasparente
diffuser transparent
polycarbonate
diffuseur polycarbonate
transparent
difusor policarbonato
transparente
Diffuser Polykarbonat klar



stainless steel CLEANER
code OODEC
details: p.14



FOR TECHNICAL DETAILS VISIT
www.landalighting.com

IP65 960°


FINISHING



dettagli / details
/ details detalles
/ details:
p.12-13
code 822K....

Wood that isn't wood

Processo produttivo non inquinante
Production process is not polluting
C'est un procédé de production non polluant
Proceso productivo no contaminante
Umweltfreundlicher Herstellungsprozess




ELECTRIFICATION

INSTALLATION

dettagli / details / details
detalles / details:
p.8-9

Energy efficiency classes





ENERGY
SAVING

93




Accessories on request:




code 0404M004
Single connection IP68



code 0404M003
Loop in loop out IP68



Root Mounting Kit code 00A400



code 00A400.01P
Anchor Bolt



serie/series

orion

art.
400







design Ufficio Tecnico Landa

94

corpo alluminio pressofuso
e estruso

body in die casting
and extruded aluminium
corps en aluminium moulé
sous pression et extrudé
cuadro aluminio inyectado
y extrusionado
Körper aus Aluminium-
Druckguss

diffusore policarbonato opale
diffuser polycarbonate opal
diffuseur polycarbonate
opaque
difusor policarbonato ópalo
Diffuser Polykarbonat opal



FOR TECHNICAL DETAILS VISIT
www.landalighting.com

IP44

850°

FINISHING



dettagli / details
/ details detalles
/ details:
p.12-13



code 400K....

Wood that isn't wood

Processo produttivo non inquinante
Production process is not polluting
C'est un procédé de production non polluant
Proceso productivo no contaminante
Umweltfreundlicher Herstellungsprozess



ELECTRIFICATION

INSTALLATION

dettagli / details / details
detalles / details:
p.8-9

Energy efficiency classes

max 100 W



max 23 W



max 15 W



LED

A+ ÷ E

orion



ENERGY
SAVING



Thanks to Ansell Lighting - UK

Accessories on request:




code 0404M004
Single connection IP68





code 0404M003
Loop in loop out IP68

Accessories not available for: 400.03



Root Mounting Kit code 00A400



code 00A400.01P
Anchor Bolt



serie/series

orion

art.
401

design Ufficio Tecnico Landa

96

corpo alluminio pressofuso
e estrusobody in die casting
and extruded aluminium
corps en aluminium moulé
sous pression et extrudé
cuadro aluminio inyectado
y extrusionado
Körper aus Aluminium-
Druckgussdiffusore policarbonato opale
diffuser polycarbonate opal
diffuseur polycarbonate
opaque
difusor policarbonato ópalo
Diffuser Polykarbonat opalFOR TECHNICAL DETAILS VISIT
www.landalighting.com

IP44

850°

FINISHING

dettagli / details
/ details detalles
/ details:
p.12-13

code 401K....

Wood that isn't wood

Processo produttivo non inquinante
Production process is not polluting
C'est un procédé de production non polluant
Proceso productivo no contaminante
Umweltfreundlicher Herstellungsprozess




ELECTRIFICATION

INSTALLATION

dettagli / details / details
detalles / details:
p.8-9

Energy efficiency classes



example code:
art. | finishing | size | colour
401 - 00 V
COUNTRY example code:
art. | finishing | size | colour
401 K 125 L

orion



Thanks to Ansell Lighting - UK

Accessories on request:




code 0404M004
Single connection IP68





code 0404M003
Loop in loop out IP68

Accessories not available for: 401.03



Root Mounting Kit code 00A400



code 00A400.01P
Anchor Bolt



serie/series

orion INOX

art.
800

design A. Dolcetti

corpo acciaio inox AISI 316L
98 body stainless steel AISI 316L
corps acier inoxydable
AISI 316L
cuero acero inox AISI 316L
Körper Edelstahl AISI 316L

diffusore policarbonato opale
diffuser polycarbonate opal
diffuseur polycarbonate
opaque
difusor policarbonato ópalo
Diffuser Polykarbonat opal



stainless steel CLEANER
code OODEC
details: p.14



FOR TECHNICAL DETAILS VISIT
www.landalighting.com

IP44

850°

FINISHING



dettagli / details
/ details
detalles /
details:
p.12-13



Wood that isn't wood

Processo produttivo non inquinante
Production process is not polluting
C'est un procédé de production non polluant
Proceso productivo no contaminante
Umweltfreundlicher Herstellungsprozess



code 800.....



**NEW
AISI 316L**


ELECTRIFICATION

INSTALLATION


dettagli / details / details
detalles / details:
p.8-9

Energy efficiency classes


max 75 W



max 23 W



E27
max 15 W
LED



A+ ÷ E



ENERGY
SAVING

99

Thanks to Ansell Lighting - UK



Accessories on request:




code 0404M004
Single connection IP68





code 0404M003
Loop in/loop out IP68

Accessories not available for: 800.03Z



Root Mounting Kit code 00A400



code 00A400.01P
Anchor Bolt



serie/series

orion INOX

art.
801

design A. Dolcetti

100 corpo acciaio inox AISI 316L
body stainless steel AISI 316L
corps acier inoxydable
AISI 316L
cuero acero inox AISI 316L
Körper Edelstahl AISI 316L

diffusore policarbonato opale
diffuser polycarbonate opal
diffuseur polycarbonate
opaque
difusor policarbonato ópalo
Diffuser Polykarbonat opal



stainless steel CLEANER
code OODEC
details: p.14



FOR TECHNICAL DETAILS VISIT
www.landalighting.com

IP44

850°

FINISHING



dettagli / details
/ details
detalles / details
/ details:
p.12-13



Wood that isn't wood

Processo produttivo non inquinante
Production process is not polluting
C'est un procédé de production non polluant
Proceso productivo no contaminante
Umweltfreundlicher Herstellungsprozess




ELECTRIFICATION

INSTALLATION

dettagli / details / details
detalles / details:
p.8-9

Energy efficiency classes





Thanks to Ansell Lighting - UK

Accessories on request:




code 0404M004
Single connection IP68




code 0404M003
Loop in loop out IP68


Accessories not available for: 801.03Z



Root Mounting Kit code 00A400



H 47 Ø18
Ø3



code 00A400.01P
Anchor Bolt



ENERGY
SAVING



serie/series

urano INOX

art.
810

design Ufficio Tecnico Landa

Disponibilità da verificare

Availability to be verified

Disponibilité à vérifier

Disponibilidad para ser verificado

Verfügbarkeit zu überprüfen



corpo acciaio inox AISI 316L

body stainless steel AISI 316L

corps acier inoxydable AISI

316L

cuerpo acero inox AISI 316L

Körper Edelstahl AISI 316L

102

diffusore policarbonato
trasparente

diffuser transparent
polycarbonate

diffuseur polycarbonate

transparent


difusor policarbonato

transparente

Diffuser Polykarbonat klar



stainless steel CLEANER
code OODEC
details: p.14



FOR TECHNICAL DETAILS VISIT
www.landalighting.com

IP44

code 810.00Z IP43

960°

FINISHING



Wood that isn't wood

Processo produttivo non inquinante
Production process is not polluting
C'est un procédé de production non polluant
Proceso productivo no contaminante
Umweltfreundlicher Herstellungsprozess




code 810.....

ELECTRIFICATION

INSTALLATION

dettagli / details / details
detalles / detalles / details:
p.8-9

Energy efficiency classes



Accessories on request:



code 0404M004
Single connection IP68

urano INOX



Thanks to Ansell Lighting - UK



103




art.
OOPB126K
OOPB060K

design Ufficio Tecnico Landa
 progetto Meta-Distrettuale Numa

corpo alluminio estruso
 body extruded aluminium
 corps en aluminium extrudé
 cuerpo aluminio extrusionado
 Körper Aluminium

dettagli accessori
 details accessories
 details accessoires
 detalles accesorios
 details Zusatzgeräte
 p.109



FOR TECHNICAL DETAILS VISIT
www.landalighting.com



dettagli
 details
 details
 detalles
 details:
 p.12-13



Wood that isn't wood

K
 Processo produttivo non inquinante
 Production process is not polluting
 C'est un procédé de production non polluant
 Proceso productivo no contaminante
 Umweltfreundlicher Herstellungsprozess




Provided with door
 inspection
 code OOPB126K300G
 code OOPB126K250G


Accessoires on request:



code 0404M004
 Single connection IP68



BASE DIMENSION



Anchor Bolt code 00APB

pali beta
Country
COLLECTION



105



pali beta

art.
00PB126.
00PB060.


design Ufficio Tecnico Landa

corpo alluminio estruso
 body extruded aluminium
 corps en aluminium extrudé
 cuerpo aluminio extrusionado
 Körper Aluminium

dettagli accessori
 details accessories
 details accessoires
 detalles accesorios
 details Zusatzgeräte
 p.109



106



FOR TECHNICAL DETAILS VISIT
www.landalighting.com



colori
 colours
 couleurs
 colores
 Farben

G [ngg]

code 00PB126.... G





Provided with door
 inspection
 code 00PB126.300G
 code 00PB126.250G

Accessoires on request:



code 0404M004
 Single connection IP68



Anchor Bolt code 00APB

pali beta



107



serie/series

pali liberty

art.
00P170.

design Ufficio Tecnico Landa

corpo alluminio pressofuso
ed estruso
body in die casting aluminium
and extruded
corps en aluminium moulé sous
pression et extrudé
cuerpo aluminio inyectado
y extrusionado
Körper aus Aluminium-
Druckguss

108



FOR TECHNICAL DETAILS VISIT
www.landalighting.com

colori
colours
couleurs
colores
Farben



Provided with door
inspection




Accessoires on request:




code 0404M004
Single connection IP68



code 0404M003
Loop in loop out IP68



BASE DIMENSION



Anchor Bolt code 00A170.01P

Example to order the accessories:

A3 + B2 + C1 =

art. 00E326F42 + art. 020314000000 + art. 0203141V02IM =



	art.	W	EEC
A1	00E326E27	1x150	E27 A+÷E
A2 METAL HALIDE AND SODIUM	00E326H70	1x70	E27 A+÷C
A3	00E326F42	1x42	Gx24 q-4 A+÷B



B1
art. 020313900000



B2
art. 020314000000



C1
art. 0203141V02IM - Ø400 mm
LCS



C2
art. 0203141V03IM - Ø400 mm
transparent



C3
art. 0203141V01IM - Ø400 mm
opal



109

design Ufficio Tecnico Landa

ACCESSORIES

corpo policarbonato
body polycarbonate
corps polycarbonate
cuerpo policarbonato
Körper Polykarbonat

globi PMMA
globes PMMA
boules PMMA
Globo PMMA
Kugeln PMMA

For technical details visit
www.landalighting.com


IP65



certificazioni e marchi

certification and marks

I prodotti del Gruppo Landa,
sono conformi
alle norme europee



The products of
Landa Group are conformed
to European standards.

certifications et marques


Les produits du groupe
Landa sont conformes aux
normes européennes

certificaciones y marcas

Los productos de la Landa
Group están fabricados
según las normativas de la
Comunidad Europea

Zertifizierungen und Prüfzeichen


Die Produkte der Gruppe
Landa entsprechen den
europäischen Vorschriften




"IP" indica la classificazione secondo il grado di protezione contro la penetrazione di polvere, corpi solidi ed umidità.
"IP" indicates the degree of protection against penetration of dust, solid bodies and humidity.
"IP" indique la classification selon le degré de protection contre la pénétration de la poussière, des corps solides et de l'humidité.
"IP": protección contra la penetración de objetos sólidos y prodejido contra los líquidos.
"IP" entspricht der Klassifizierung des Schutzgrads in Bezug auf das Eindringen von Staub, festen Körpern und Feuchtigkeit.




Protetto contro la penetrazione dei corpi solidi Ø >12 mm e non contro i liquidi.
Protected against penetration of solid bodies Ø >12 mm but not against liquids.
Protégé contre la pénétration des corps solides Ø >12 mm et non contre les liquides.
Protección contra la penetración de objetos sólidos menor que 12 mm. y no prodejido contra los líquidos.
Gegen Eindringen von festen Körpern Ø >12 mm bzw. nicht gegen Flüssigkeiten geschützt.




Protetto contro la penetrazione dei corpi solidi Ø >12 mm e contro la pioggia.
Protected against penetration of solid bodies Ø >12 mm and protected against rain.
Protégé contre la pénétration des corps solides Ø >12 mm et protégé de la pluie.
Protección contra la penetración de objetos sólidos menor que 12 mm. y contra el agua en forma de lluvia hasta 60° de inclinación.
Gegen Eindringen von festen Körpern Ø >12 mm sowie gegen Regen geschützt.




Protetto contro la penetrazione dei corpi solidi Ø >1 mm e contro la pioggia.
Protected against penetration of solid bodies Ø > 1 mm and protected against rain.
Protégé contre la pénétration des corps solides Ø >1 mm et protégé de la pluie.
Protección contra la penetración de cuerpos sólidos menor que 1 mm. y contra el agua en forma de lluvia hasta 60° de inclinación.
Gegen Eindringen von festen Körpern Ø >1 mm sowie gegen Regen geschützt.




Protetto contro la penetrazione dei corpi solidi Ø >1 mm e contro gli spruzzi d'acqua.
Protected against penetration of solid bodies Ø > 1 mm and protected against water sprays.
Protégé contre la pénétration des corps solides Ø >1 mm et contre les éclaboussures d'eau.
Protección contra la penetración de cuerpos sólidos menor que 1 mm. y contra proyecciones de agua en todas direcciones.
Gegen Eindringen von festen Körpern Ø >1 mm sowie gegen Spritzwasser geschützt.




Protetto contro la penetrazione della polvere e contro gli spruzzi d'acqua.
Protected against penetration of dust and against water sprays.
Protégé contre la pénétration de la poussière et contre les éclaboussures d'eau.
Protección contra la penetración de polvo y contra proyecciones de agua en todas direcciones.
Gegen Eindringen von Staub sowie gegen Spritzwasser geschützt.



Protetto contro la penetrazione della polvere e protetto contro i getti d'acqua.
Protected against penetration of dust and water tight.
Protégé contre la pénétration de la poussière et protégé contre les jets d'eau.
Protección contra la penetración de polvo y contra chorros de agua en todas direcciones.
Gegen Eindringen von Staub sowie gegen Wasserstrahlen geschützt.



Stagno alla penetrazione della polvere e protetto contro i getti d'acqua.
Dust tight and protected against water jets.
Etanche à la poussière et protégé contre les jets d'eau.
Totalmente protegida contra la penetración de polvo y contra chorros de agua en todas direcciones.
Staubdicht und geschützt vor Wasserstrahlen.



Stagno alla penetrazione della polvere e protetto contro gli effetti delle ondate.
Dust and waterwave tight.
Etanche à la poussière et protégé contre les jets d'eau.
Totalmente protegida contra la penetración de polvo y contra los efectos de la inmersión temporal.
Staubdicht und geschützt vor Wellen.

La ditta si riserva di apportare, senza obbligo di preavviso, tutte le modifiche migliorative riportate agli articoli su questo catalogo.
The company reserves the right to make improvements to the products described in this catalogue without giving prior notice.

L'entreprise se réserve la faculté d'effectuer sans préavis toutes les modifications qu'elle jugera utiles pour améliorer les articles présentés dans ce catalogue.

La firma se reserva, sin previo aviso, de aportar todas las modificaciones que sean necesarias para mejorar sus productos, relatados en este catálogo.

Unsere Firma behält sich vor, Sämtliche Änderungen an den in diesem Katalog enthaltenen Artikeln ohne vorherige Benachrichtigung vorzunehmen, welche aufgrund der technologischen Entwicklung erforderlich sein könnten.

index

bulb version (bulbs not included)
 product with LED (LED included)
 product with sensor

CODE				PAGE	CODE				PAGE
00PB060K pali beta				104	374 parigi maxi	●			28
00PB060 pali beta				106	390 nizza	●			56
00PB126K pali beta				104	391 nizza	●			56
00PB126 pali beta				106	400 orion	●			94
00P170 pali liberty				108	401 orion	●			96
ACCESSORIES pali beta/liberty	●			109	4022 polos 2	●			88
					4032 polos 2	●			90
					405 neway wall	●			84
100 lampara LED	●	●		30	405 neway	●			86
100 lampara	●			32	406 oko wall	●			78
150 sirio	●			34	406 oko	●			78
175 morphis wall	●		●	22	410 brick light	●			70
175 morphis	●			16	411 brick light	●			70
176 morphis	●			18	412 brick light	●			70
177 morphis	●			20	413 brick light	●			70
300 pisa	●			58	420 cipro	●			64
301 oslo	●			59	421 maiorca	●	●		65
310 venezia mini	●			36	425 rio	●	●		60
311 venezia	●			38	451 ibis 2 LED	●	●		74
312 venezia	●			38	451 ibis 2	●	●		76
320 amalfi mini	●			40	4652 lyras 80.1	●			72
321 amalfi	●			42	800 orion INOX	●			98
322 amalfi	●			42	801 orion INOX	●			100
323 amalfi maxi	●			44	810 urano INOX	●			102
330 firenze	●			46	822 titano INOX	●			92
340 monaco	●			48	824 titano	●			80
350 romantica LED	●	●		50	825 titano	●			82
350 romantica	●			52	9006 cervinia	●	●		62
360 augusta	●			54					
370 parigi mini	●			24					
371 parigi	●			26	PALI				66
372 parigi	●			26	Terms & Conditions				112
373 parigi maxi	●			28	Installation Raccomandations				8

LANDA® Terms & Conditions

General

- Buyer means the person, firm or company who purchases Goods from the company
- Company means Landa Illuminotecnica S.p.A.. via Rosmini 13/15, 25065 Lumezzane (BS), Italy
- Contract means the Contract between the Buyer and the Company for the sale and purchase of Goods
- Goods means the Goods which the Company is to supply in accordance with these conditions

Basic of Sale

- The Company shall sell and the Buyer shall purchase the Goods in accordance with these conditions, which shall govern the Contract to the exclusion of any other terms and conditions which the Buyer purports to apply under any purchase order, confirmation order, specification or other document
- No variation to these conditions shall be binding unless agreed in writing by the Company
- Any typographical, clerical or other error or omission in any sales literature, quotation, price list, acceptance of offer, invoice or other document or information issued by the Company shall be subject to correction without liability on the part of the Company.
- Goods supplied may vary in detail from illustrations, drawings, measurements and descriptions set out in the Company sales literature, which are approximate and for guidance only and will not form part of the Contract. Colour finishes will be maintained as accurately as possible but matching cannot be guaranteed. All terminology used in the Company's sales literature is subject to these conditions.

Orders

- No order submitted by the Buyer shall be deemed accepted by the Company unless and until confirmed in writing by the Company
- The Buyer shall be responsible to the Company for ensuring the accuracy of the terms of any order submitted by the Buyer, and for giving the Company any necessary information relating the Goods within a sufficient time to enable Company to perform the Contract in accordance with its terms.
- No Goods may be returned to the Company without the Company's prior written consent and must be returned in their original packaging to ensure no damage is sustained during transit. The Buyer shall be liable for the cost of returning the Goods and for any damage to the Goods prior to receipt by the Company of such returned Goods.

Price of Goods

- The price of the Goods shall be the price listed in the Company's published price list in EURO currency.
- Unless otherwise agreed in writing between the Buyer and the Company, all prices are given by the Company on an ex-works basis, and where the Company agrees to deliver the Goods otherwise than at the Company's premises. The Buyer shall be liable to pay the Company's charges for transport.

Warranties

- Outdoor lighting fixtures are guaranteed against defects in material or workmanship for a period of two years following the date of delivery ex-works.
- No warranty is granted in connection with faults resulting from improper use, application, normal wear and tear, external influences or use of non-original replacements parts, damage resulting from transportation.
- The Company recommends that the installation of outdoor lighting fixtures is made by skilful person and that the enclosed assembly instructions are followed and kept for further future maintenance.
- The Company will not assume responsibility for corrosion or other resulting damage to the Goods where they are installed in areas in which fertilizer or salt are present, either in the air or in the soil or where Goods are installed near to chemical plants etc with emissions of heavily polluted air. The Buyer undertakes to inform his customers about the regular maintenance of the products. In particular for the products in stainless steel AISI 316, by means of the technical sheets included in his catalogue, the distributor will inform his customer regarding the specific products (among which also those available from the Company aimed to remove possible colour spots) liable to keep the features of the products unaltered. Claims should be promptly submitted in a written form to the Company together with copy of the purchase invoice and stating the delivery date, description of the faults and quantity of faulty products. Products that are proved to be defective in material or workmanship will be repaired, replaced by the Company within a reasonable period after the claim. Returns of faulty Goods will be accepted by the Company only upon written authorization, adequately despatched and packed with transport prepaid. Extra costs borne by the Buyer in consequence of the faults of the products will not be carried by the Company, if not previously agreed in written form.
- The Company will not assume any responsibility in the following cases: improper assembly, use or maintenance of the products and their incorrect conservation. This guarantee shall not apply to products that have been altered, improperly used or installed or repaired without prior written authorization from the Company. If quality and performance have become less due to the application of accessories not approved by the Company. This guarantee deletes and replaces any other further responsibility arisen from the products supplied; in particular the Buyer shall have no right to claim for damages reimbursement (indirect or consequent damages included or profit losses) reduction of prices or resolution of the Contract.

LANDA ILLUMINOTECNICA S.p.A.

Via Rosmini, 13/15 - 25065 Lumezzane S.A. - Brescia - Italy - Tel. +39 030 89 20 966 - Fax +39 030 89 21 003 - www.landa.it - e-mail: info@landa.it
Copyright® 2021

LANDA
illuminotecnica

LANDA illuminotecnica S.p.A. – Via Rosmini, 13/15 - 25065 Lumezzane S.A. Brescia - Italy – Tel. +39 030 89 20 966 – Fax +39 030 89 21 003 – info@landa.it

www.landalighting.com

